



PROMO

TENDO[®] E compact The universal hydraulic expansion toolholder

Versatile toolholding system for a wide range
of applications

Hand in hand for tomorrow



TENDO PROMOTION 2026

Valid until Sept 30 2026

Get in touch with your **E.M. Precise Rep** for more details and order now.
Email info@emprecise.com | Call **(905) 664-2644** | Visit us online at www.emprecise.com

“Your One - Stop, Tool Shop!”

TENDO® E compact

The toolholder for universal use



+ High torque for volume cutting

Due to the compact design, high holding forces and, therefore, high torque transmission are permanently ensured

+ High radial rigidity

No lateral deflection during the machining process and high shape accuracy on the workpiece while achieving the highest material removal rates

+ High flexibility

Clamping of different diameters due to the use of slotted or coolant-tight intermediate sleeves

+ Excellent vibration damping

Prevention of micro-breakage, best workpiece surface qualities, protection of the machine spindle, increased tool service life, and consequently, reduced costs

Increase efficiency through the use of intermediate sleeves

SCHUNK intermediate sleeves allow clamping of multiple different shank diameters with just one toolholder. The universal GZB-S intermediate sleeves are available in two versions: the proven coolant-proof version and the innovative peripheral cooling version. Both are compatible with the SCHUNK toolholding systems TENDO, TRIBOS, and SINO-R, as well as with market-standard hydraulic expansion toolholders and power toolholders.



Interfaces

HSK-A 63
HSK-A 100
SK 40
SK 50
JIS-BT 30
JIS-BT 40
JIS-BT 50
CAT 40
CAT 50
BT-DC 30
BT-DC 40
BT-DC 50
CAT-DC 40
CAPTO C5
CAPTO C6



Run-out accuracy
≤ 3 μm



Min. torque
110 .. 850 Nm



Max. speed
25000 .. 50000
1/min



Diameters
6 .. 32 mm

Your added values:

- + **Highest flexibility with optimal cost control:** one toolholder, several clamping diameters
- + **Comprehensive compatibility** The universal GZB-S intermediate sleeves are compatible with the SCHUNK toolholding systems TENDO, TRIBOS, and SINO-R, as well as with market-standard hydraulic expansion toolholders and power toolholders
- + **Individual** Further sizes and customized designs are available on request



schunk.com/ecompact

Get in touch with your **E.M. Precise Rep** for more details and order now.

Email info@emprecise.com | Call (905) 664-2644 | Visit us online at www.emprecise.com

"Your One - Stop, Tool Shop!"

TENDO® E compact Starter kit

The TENDO E compact Starter kit is a complete package, including one TENDO E compact Ø20 toolholder, five coolant-tight intermediate sleeves, one sleeve remover, and an actuation key. On option, it can be used for the interfaces HSK-A 63, SK 40, JIS-BT 30, BT-DC 30, JIS-BT 40, BT-DC 40, CAT 40 or SCHUNK CAPTO C6. The intermediate sleeves cover the clamping diameters Ø6 Ø8, Ø10, Ø12, and Ø16.

*Inch sizes only available in HSK-A 63 and Cat 40. 3/4" holder with sleeve diameter Ø5/8 Ø1/2, Ø3/8, Ø5/16, and Ø1/4"



Designation	ID and Discounted Price	Toolholder interface
Starter Kit HSK-A63 KD [mm]	0299970 - \$1199	HSK-A 63
Starter Kit HSK-A63 KD [inch]	0299958 - \$1199	HSK-A 63
Starter Kit SK40 KD	0299969 - \$1199	SK 40
Starter Kit BT-DC30 KD	1329659 - \$1299	BT-DC 30
Starter Kit BT-DC40 KD	1329646 - \$1399	BT-DC 40
Starter Kit JIS-BT30 KD	0299934 - \$1199	JIS-BT 30
Starter Kit JIS-BT40 KD	0299968 - \$1199	JIS-BT 40
Starter Kit CAT40 KD [mm] TENDO Silver	0299956 - \$1099	CAT 40
Starter Kit CAT40 KD [inch] TENDO Silver	0299952 - \$1099	CAT 40
Starter Kit SCAPTO C6 KD	0299986 - \$1399	SCHUNK CAPTO C6



Get in touch with your **E.M. Precise Rep** for more details and order now.

Email info@emprecise.com | Call (905) 664-2644 | Visit us online at www.emprecise.com

"Your One - Stop, Tool Shop!"